



Technical Data Sheet

Cinergi™ 2084 A Sheetfed Laser Forms Vehicle

IMPORTANT CHARACTERISTICS:

Cinergi™ 2084 A is a quickset gel vehicle specifically designed for use in a wide variety of applications. **Cinergi 2084 A** has a unique chemistry that allows for its application in both laser forms and conventional inks. **Cinergi 2084 A** allows the ink formulation the latitude of formulating a wide variety of inks from one vehicle.

APPLICATIONS:

- Sheetfed inks
- Laser Forms

BENEFITS:

- Medium gel

Typical Properties

Properties	Value	Test Method / Standard
Viscosity:	150	Rotational Rheometer (Pa.s) BAX-QC-132
G':	310	Rotational Rheometer (Pa.s) BAX-QC-132
Inkometer Tack:	12	400 rpm, 1 min. @ 90°F Method PP-QC-101
% Non-Volatile:	91	Method PP-QC-105
Solvent Type:	Hydrotreated	
Solvent Boiling Range:	515-585°F	

Updated 2/10/2011 JGC

For more information, please contact your sales or technical representative.

® and ™ Licensed trademarks of Lawter, Inc.

DISCLAIMER

The information provided herein was believed by Lawter, Inc. ("Lawter") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product, and to determine the suitability of the product for its intended use. All products supplied by Lawter are subject to Lawter's terms and conditions of sale. LAWTER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY LAWTER, except that the product shall conform to Lawter's specifications. Nothing contained herein constitutes an offer for the sale of any product.