



Technical data sheet

## **ECO-REZ 350C**

### **Rosin Modified Resin**

#### **IMPORTANT CHARACTERISTICS:**

**Eco-Rez 350 C** is a high viscosity rosin ester with excellent tolerance for low KB oils. While this is primarily an offset ink resin it has potential in many other applications.

#### **APPLICATIONS:**

- Pigment dispersions
- Heat resistant ink film for sheetfec and heatset
- Coatings and adhesives
- Sealants

#### **BENEFITS:**

- High viscosity
- Excellent tolerance for low KB oils

#### **Typical Properties**

<b>Property</b>	<b>Value</b>	<b>Unit</b>	<b>Test Method</b>
Viscosity (50 % NV in M47)	Z4		G-H 25 °C
Dilution(ml /10g varnish)	150	ml	

Updated 5/18/11 TM

**Former name : K-350**

® and ™ Licensed trademarks of Lawter, Inc.

#### **DISCLAIMER**

The information provided herein was believed by Lawter, Inc. ("Lawter") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product, and to determine the suitability of the product for its intended use. All products supplied by Lawter are subject to Lawter's terms and conditions of sale. LAWTER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY LAWTER, except that the product shall conform to Lawter's specifications. Nothing contained herein constitutes an offer for the sale of any product.