



Technical data sheet

## **UROSET FGVC**

### ***Quickset dispersion varnish***

#### **IMPORTANT CHARACTERISTICS:**

**Uroset FGVC** has exceptionally good pigment wetting properties which can develop flushed or ground color bases with stable and easily handled bodies.

The durability of **Uroset FGVC** in a competitive market is maintained by its unique contributions to the performance of many ink formulations. The ink performance qualities are maximized when **Uroset FGVC** base dispersions are let down with our quickset varnishes.

#### **APPLICATIONS:**

- Pigment concentrates
- Flush
- Offset ink

#### **BENEFITS:**

- Excellent pigment wetting
- High pigment loading
- Fast setting
- Good litho properties
- Distillate 260-330 °C

#### **Typical Properties**

<b>Property</b>	<b>Value</b>	<b>Unit</b>	<b>Test Method / Standard</b>
Viscosity	240	seconds	G-H, End-End, 25 °C
Tack	8.5		400rpm, 30', 90 °F

Updated 5/18/11 TM

® and ™ Licensed trademarks of Lawter, Inc.

#### **DISCLAIMER**

The information provided herein was believed by Lawter, Inc. ("Lawter") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product, and to determine the suitability of the product for its intended use. All products supplied by Lawter are subject to Lawter's terms and conditions of sale. LAWTER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY LAWTER, except that the product shall conform to Lawter's specifications. Nothing contained herein constitutes an offer for the sale of any product.