

# **OPTILITH™ XJ12 E**

## ***Anti-set off compound***

### ***IMPORTANT CHARACTERISTICS:***

**Optilith™ XJ12 E** is a 15 % non-volatile anti set-off compound in mineral distillate 240-270 °C.

**Optilith™ XJ12 E** is used in Sheetfed offset inks, Quickset offset inks and Webfed offset inks.

**Optilith™ XJ12 E** is a soft, off-white paste that is easy to disperse.

**Optilith™ XJ12 E** significantly reduces ink set-off in litho inks and will not cause piling.

### ***APPLICATIONS:***

- Offset
- Sheetfed and Quickset
- Webfed
  
- Heatset and Coldset
- Recommended usage level: 3-6 % to ink.

### ***BENEFITS:***

- Reduces set-off in litho inks
- Reduced need for anti-offset spray
- Can be incorporated into an ink or added press-side. Easy handling
- No piling

Updated: February 21, 2011 by AdK

® and ™ Licensed trademarks of Lawter, Inc.

### **DISCLAIMER**

The information provided herein was believed by Lawter, Inc. ("Lawter") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product, and to determine the suitability of the product for its intended use. All products supplied by Lawter are subject to Lawter's terms and conditions of sale. LAWTER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY LAWTER, except that the product shall conform to Lawter's specifications. Nothing contained herein constitutes an offer for the sale of any product.