



Technical Data Sheet

Terlon™ 1114 A #4 Specialty Alkyd

IMPORTANT CHARACTERISTICS:

Terlon™ 1114 A is unique for most printing ink alkyds in that its oxidizing-drying fraction is based on conjugated fatty acids. **Terlon 1114 A** also imparts a pale color, improved dry speed, a cohesive film build, and is recommended for metal deco inks.

APPLICATIONS:

- Sheetfed offset
- Coldset offset
- Heatset offset
- Metal decorating inks

BENEFITS:

- Low color
- Fast dry
- Film forming properties

Typical Properties

Property	Value	Test Method / Standard
Viscosity:	115 Poise	Rheometer, rotational @25°C Method BAX-QC-192
Acid Number:	10	Method BAX-QC-102
% Non-Volatile:	100	Method BAX-QC-195
Color:	4	Gardner Color Method BAX-QC-103
Weight/Gallon	8.3 lbs	Method BAX-QC-130

Updated 05/22/15 DMB

For more information, please contact your sales or technical representative.

® and ™ Licensed trademarks of Lawter, Inc.

DISCLAIMER

The information provided herein was believed by Lawter, Inc. ("Lawter") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product, and to determine the suitability of the product for its intended use. All products supplied by Lawter are subject to Lawter's terms and conditions of sale. LAWTER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY LAWTER, except that the product shall conform to Lawter's specifications. Nothing contained herein constitutes an offer for the sale of any product.