



Technical Data Sheet

SETALIN™ V 427 E

Preliminary datasheet

Soya oil based alkyd

IMPORTANT CHARACTERISTICS:

Setalin™ V 427 E is a low viscous soya oil based alkyd used in offset inks

APPLICATIONS:

- Offset, Heatset, Sheetfed

BENEFITS:

- High gloss
- Good flow

Typical Properties

Property	Value	Unit	Test Method *
Viscosity	5	Pa.s	LIMV2
Colour	7	Gardner	LIMA5
Acid Value	8	mg KOH/g	LIMA1
Methanol Number	45	ml/5 grams alkyd solution	LIMA2
Appearance	Clear		Visual

Updated: March 10, 2015 by AdK

* Lawter Standard Test Method

® and ™ Licensed trademarks of Lawter, Inc.

DISCLAIMER

The information provided herein was believed by Lawter, Inc. ("Lawter") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product, and to determine the suitability of the product for its intended use. All products supplied by Lawter are subject to Lawter's terms and conditions of sale. LAWTER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY LAWTER, except that the product shall conform to Lawter's specifications. Nothing contained herein constitutes an offer for the sale of any product.